









ELEMENTI PER PARETE

Spessore nominale [mm]	Nomenclatura	Strati [--]	Disposizione delle lamelle [mm]							Largh. pannelli standard [cm]	Lungh. pannelli massima [cm]	
			C	L	C	L	C	L	C			
57	3s	3	19	19	19					245; 275; 295	1600	
83	3s	3	27,5	28	27,5					245; 275; 295	1600	
97	3s	3	35	27	35					245; 275; 295	1600	
95	5s	5	19	19	19	19	19			245; 275; 295	1600	
138	5s	5	27,5	27,5	28	27,5	27,5			245; 275; 295	1600	
161	5s	5	35	28	35	28	35			245; 275; 295	1600	

ELEMENTI PER SOLAIO

Spessore nominale [mm]	Nomen- clatura	Strati [--]	Disposizione delle lamelle [mm]							Largh. pannelli standard [cm]	Lungh. pannelli massima [cm]	
			L	C	L	C	L	C	L			
57	3s	3	19	19	19					245; 275; 295	1600	
74	3s	3	27,5	19	27,5					245; 275; 295	1600	
83	3s	3	27,5	28	27,5					245; 275; 295	1600	
97	3s	3	27,5	42	27,5					245; 275; 295	1600	
103	3s	3	42	19	42					245; 275; 295	1600	
112	3s	3	42	28	42					245; 275; 295	1600	
119	3s	3	42	35	42					245; 275; 295	1600	
126	3s	3	42	42	42					245; 275; 295	1600	
95	5s	5	19	19	19	19	19			245; 275; 295	1600	
121	5s	5	27,5	19	28	19	27,5			245; 275; 295	1600	
138	5s	5	27,5	27,5	28	27,5	27,5			245; 275; 295	1600	
150	5s	5	42	19	28	19	42			245; 275; 295	1600	
165	5s	5	42	19	43	19	42			245; 275; 295	1600	
182	5s	5	42	27,5	43	27,5	42			245; 275; 295	1600	
196	5s	5	42	35	42	35	42			245; 275; 295	1600	
211	5s	5	42	42	43	42	42			245; 275; 295	1600	
194	7s	7	27,5	27,5	28	28	28	27,5	27,5	245; 275; 295	1600	
216	7s	7	27,5	35	28	35	28	35	27,5	245; 275; 295	1600	
237	7s	7	27,5	42	28	42	28	42	27,5	245; 275; 295	1600	
209	7s-2	7*	55	35,5	28	35,5	55			245; 275; 295	1600	
223	7s-2	7*	55	42,5	28	42,5	55			245; 275; 295	1600	
249	7s-2	7*	84	19	43	19	84			245; 275; 295	1600	
267	7s-2	7*	84	28	43	28	84			245; 275; 295	1600	
296	7s-2	7*	84	43	42	43	84			245; 275; 295	1600	

* a 7 strati; strati esterni composti da 2 strati longitudinali

Ultimo aggiornamento: 10/2009

Nomenclatura dei pannelli: p. es.: CLT 97 C3s o CLT 165 L5s o CLT 249 L7s-2
(L: strato di copertura disposto longitudinalmente,
C: strato di copertura disposto trasversalmente)